

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# WHOLESALE PRICE-LIST OF

# Hardy Perennial Flower Seeds

## Including New Varieties Besides Old-Fashioned Flowers. Seeds are Home-Saved and Tested

	Tr. Pkt.	Oz.	Tr. Pkt.	Oz.
<b>ACANTHUS latifolius</b> . . . . .	\$0.10	\$0.25	<b>CATANANCHE cærulea</b> and <b>alba</b> . Each . . . . .	\$0.25
<i>mollis</i> . . . . .	.10	.25	<b>CENTAUREA babylonica</b> . . . . .	.30
<b>ACHILLEA</b> . . . . .	.25		<i>candidissima</i> . . . . .	.30
<i>Filipendulina</i> . . . . .	.25		<i>montana</i> . . . . .	.25
<i>Millefolium, Cerise Queen.</i> New. Red. . . . .	.25		<i>macrocephala</i> . . . . .	.15
<i>Ptarmica "The Pearl."</i> Fine for florists; blooms continuously . . . . .	.50	4.00	<b>CERASTIUM Biebersteinii</b> . . . . .	.25
<b>ACONITUM Napellus.</b> Blue . . . . .	.25	1.50	<i>tomentosum</i> . . . . .	.25
<b>AGROSTEMMA coronaria</b> . . . . .	.10	.25	<b>CHELONE glabra</b> <i>alba</i> . . . . .	.15
<i>coronaria alba</i> . . . . .	.10	.25	<i>barbata coccinea</i> . . . . .	.15
<i>Flos-Jovis</i> (Flower of Jove) . . . . .	.10	.25	<b>CHEIRANTHUS</b> (Wallflower) <i>semperflorens</i> . Robust; golden; very long bloomer; excellent plant . . . . .	.25
<b>ALYSSUM Benthamii (maritimum).</b> Sweet Alyssum . . . . .	.10	.25	<i>Cloth of Gold</i> . . . . .	.15
<i>Annual</i> . . . . .	.10	.25	<i>Single</i> . All colors mixed . . . . .	.10
<i>saxatile compactum</i> . . . . .	.15	.60	<b>CHRYSANTHEMUM inodorum</b> (Bridal Robe) . . . . .	.25
<b>AMPELOPSIS</b> Veitchii (Boston Ivy) . . . . .	lb. \$3.00	.10	<i>maximum</i> . See Shasta Daisy. <i>nipponicum</i> . This is a hardy, shrubby, single-flowering variety that is not killed back to the ground like other hardy sorts, but buds out from the old canes like the Hydrangea. Should prove a useful sort to hybridists for crossing with the more tender, large-flowering types, there being an absence today of large-flowering sorts among the hardy varieties. See illustrations on front page of general catalogue . . . . .	.25
<i>quinquefolia</i> (Virginia Creeper) . . . . .	lb. \$3.00	.10		.35
<b>ANCHUSA, Dropmore Variety</b> . . . . .	.20	.75	<b>CLEMATIS paniculata</b> (Japanese Virgin's Bower) . . . . .	.10
<b>ANEMONE sylvestris</b> . . . . .	.25		<i>Flammula</i> . . . . .	.15
<i>St. Brigid</i> . . . . .	.35	1.75	<b>CONVOLVULUS althæoides floribunda</b> . . . . .	.25
<b>ANTHEMIS tinctoria Kelwayi</b> . . . . .	.20	1.00	<b>COREOPSIS lanceolata grandiflora</b> . . . . .	.10
<i>tinctoria Kelwayi alba</i> . . . . .	.20	1.00	<i>verticillata</i> . . . . .	.25
<i>tinctoria grandiflora</i> . . . . .	.25	1.00	<b>DAISY, SHASTA, Alaska</b> . . . . .	.30
<b>ANTIRRHINUM grandiflorum, Firefly.</b> Red. . . . .	.20	1.00	<i>California</i> . . . . .	.25
<i>grandiflorum, Canary Bird.</i> Yellow . . . . .	.20	1.00	<i>King Edward VII</i> . . . . .	.15
<i>grandiflorum, Nelrose.</i> Rose . . . . .	.20	1.00	<i>Mrs. J. Teersteeg.</i> Very large, new variety . . . . .	.25
<i>grandiflorum, Delila.</i> White . . . . .	.20	1.00	<i>Ostrich Plume.</i> Double . . . . .	.40
<b>AQUILEGIA</b> (Columbine). . . . .			<i>Triumph</i> . . . . .	.10
<i>California Hybrids.</i> All colors . . . . .	.30	1.75	<i>Burbank's</i> . . . . .	.15
<i>chrysanthia</i> . . . . .	.35	2.00		1.00
<i>cærulea</i> (True Rocky Mt. Columbine). Seed collected on the Rocky Mountains of Colorado . . . . .	.30	2.00		
<i>cærulea hybrids, Long-spurred</i> . . . . .	.25	1.50	<b>DELphinium hybridum</b> (Perennial Larkspur). Choice Hybrids. Finest mixed. Grown and saved from the best American and European strains and selected from our nurseries from spikes of bloom 6 feet high; double and single flowers in all shades from deepest indigo to palest silvery blue, many possessing shades of pink and white . . . . .	.25
<i>nivea grandiflora</i> . . . . .	.20	1.00		1.25
<i>Skinneri</i> . . . . .	.25		<i>belladonna</i> . . . . .	.50
<i>vulgaris fl. pl. alba</i> . . . . .	.20	1.00	<i>chinensis (grandiflorum)</i> . Blue and White. Each . . . . .	.15
<b>Double Varieties Mixed</b> . . . . .	.10	.50	<i>formosum</i> . Dark blue . . . . .	.25
<b>Single Varieties and Sorts Mixed</b> . . . . .	.10	.50		1.50
<b>All Varieties, Mixed, Double and Single</b> . . . . .	.10	.50		
<b>ARABIS alpina</b> . . . . .	.15	.50	<b>DIANTHUS barbatus, Newport Pink</b> . . . . .	.25
<i>alpina nana compacta</i> . . . . .	.25		<i>barbatus, Auricula-flowered</i> (Halibut Glory) . . . . .	.15
<b>ARMERIA formosa</b> . . . . .	.25	1.25	<i>barbatus, Double Crimson</i> . . . . .	.15
<i>maritima splendens</i> . . . . .	.25	1.25	<i>barbatus, Double White</i> . . . . .	.15
<b>ASPERULA odorata</b> . . . . .	.30	1.50	<i>plumarius, Cyclops</i> . . . . .	.35
<b>ASTER</b> (Michælmas Daisy). . . . .			<i>plumarius superbus</i> . . . . .	.25
<i>Mixed</i> . . . . .	.20	1.00	<i>plumarius, Double Mixed</i> . . . . .	.25
<i>alpinus.</i> Blue and white . . . . .	.20	1.00	<i>plumarius, Single Mixed</i> . . . . .	.15
<b>AUBRIETIA</b> <i>deltoides græca</i> . Purple . . . . .	.35		<i>latifolius coccineus fl. pl.</i> (Everlasting Hybrid) . . . . .	.30
<i>deltoides Leichlinii rosea</i> . . . . .	.50		<i>deltoides</i> . . . . .	.30
<i>deltoides purpurea.</i> Lavender . . . . .	.35			
<b>AURICULA alpina</b> (Alpine Primula) . . . . .	.40		<b>DICOTYLEDON Fraxinella</b> . . . . .	.15
<b>BAPTISIA australis</b> . . . . .	.10	.75	<i>Fraxinella alba</i> . . . . .	.15
<b>BELLIS perennis monstrosa.</b> Red. New Double English Daisy. Remarkably fine; true from seed . . . . .	.35	3.50		.50
<i>perennis monstrosa</i> , White . . . . .	.35	3.50		
<b>BERBERIS Thunbergii</b> . . . . .	lb. \$3.50	.10	<b>DIGITALIS grandiflora (ambigua)</b> . . . . .	.15
		.25	<i>purpurea gloxiniaeflora</i> . Purple, White, or Rose, colors separate. Each . . . . .	.15
<b>BOCCONIA cordata (Japonica)</b> . . . . .	.15	.40	<i>purpurea gloxiniaeflora</i> . All colors Mixed . . . . .	.20
<b>BOLTONIA asteroides</b> . . . . .	.20	1.00	<i>purpurea maculata superba</i> . Spotted . . . . .	.20
<i>latisquama</i> . . . . .	.20	1.00	<i>purpurea monstrosa splendens</i> , Mixed . . . . .	.20
<b>BUDDLEIA</b> Veitchiana. Will produce many fine new hybrids of this choice new and improved sort . . . . .	.25	1.50		.75
<b>CACALIA</b> , Mixed (Tassel Flower) . . . . .	.20			
<b>CALLIRHOE</b> <i>verticillata (involucrata)</i> . . . . .	.20	.75	<b>ECHINOPS ritro</b> . . . . .	.10
<b>CAMPANULA carpatica.</b> Blue . . . . .	.20	1.00	<i>sphærocephalus</i> . . . . .	.10
<i>carpatica alba</i> , . . . . .	.20	1.00		.25
<i>elegans</i> . . . . .	.25			
<i>Grossekii</i> . . . . .	.25		<b>ERIGERON speciosus grandiflorus</b> . . . . .	.25
<i>Medium, Single (Canterbury Bells).</i> Blue, White, Lilac or Rose; colors separate. Each . . . . .	.15	.40		
<i>Medium, Double.</i> Blue . . . . .	.25	1.50	<b>ERYNGIUM amethystinum</b> . . . . .	.25
<i>Medium calycanthema.</i> Blue, White or Rose; colors separate. Each . . . . .	.25	2.00	<i>maritimum</i> . . . . .	.15
<i>persicifolia.</i> Blue or White . . . . .	.35	3.75	<b>ERYSIMUM pulchellum</b> . . . . .	.25
<i>persicifolia fl. pl. grandiflora Moerheimi.</i> Extra fine, double white . . . . .	.50		<b>EUPATORIUM ageratoides</b> . . . . .	.20
<i>pyramidalis.</i> Blue or White. Each . . . . .	.25	1.50	<i>Fraseri</i> . . . . .	.20
<b>CASSIA marylandica</b> . . . . .	.15	.75	<b>FOENICULUM vulgare</b> (Fennel) . . . . .	.10

(See other side.)

## HARDY PERENNIAL FLOWER SEEDS, continued

	Tr. Pkt.	Oz.		Tr. Pkt.	Oz.
<b>GAILLARDIA</b> <i>grandiflora maxima</i> . . . . .	.15	.75	<b>PAPAVER</b> <i>bracteatum</i> . . . . .	.25	1.00
compacta. Mixed varieties and colors. . . . .	.10	.50	nudicaule. Yellow . . . . .	.25	1.25
<b>GALEGA</b> <i>officinalis</i> . . . . .	.10	1.00	nudicaule <i>aurantiacum</i> . Orange-red . . . . .	.25	1.25
officinalis <i>alba</i> . . . . .	.15	1.50	nudicaule, White . . . . .	.25	1.25
officinalis <i>carnea</i> . Double . . . . .	.25		nudicaule, Iceland Poppies, Single Mixed . . . . .	.15	1.00
officinalis <i>Hartlandii</i> . . . . .	.30		orientale Hybrids. Finest mixed . . . . .	.25	1.00
<b>GEUM</b> <i>atrosanguineum</i> fl. pl. . . . .	.20	.75	orientale, Rose, Lilac and Mauve shades. Mixed . . . . .	.35	2.00
<i>atrosanguineum</i> fl. pl., Mrs. Bradshaw . . . . .	.35		orientale, Brilliant . . . . .	.25	
Heldreichii . . . . .	.20	1.00	orientale, Beauty of Livermere . . . . .	.25	
<b>GLAUCIUM</b> <i>luteum</i> . . . . .	.20		orientale, Royal Scarlet . . . . .	.25	1.50
<b>GRASSES ORNAMENTAL</b> , <i>Erianthus Ravennae</i> . . . . .	.20		<b>PENNYROYAL</b> . . . . .	.15	.50
<i>Eulalia japonica</i> <i>gracillima</i> . . . . .	.20		<b>PENTSTEMON</b> <i>Digitalis</i> . . . . .	.15	1.00
<i>Eulalia japonica</i> <i>zebrina</i> . . . . .	.20		<i>grandiflora</i> . . . . .	.25	
<i>Gynium argenteum</i> . . . . .	.15		<i>ovatus</i> . . . . .	.15	
<i>Pennisetum Ruppelii</i> . . . . .	.20		<i>pubescens</i> . . . . .	.15	1.00
<b>GYPSOPHILA</b> <i>paniculata</i> . . . . .	.15	.40	<b>PHLOX</b> <i>decussata</i> . Perennial hybrids . . . . .	.40	3.00
<i>paniculata</i> fl. pl. . . . .	.50	4.00	<b>PHYSOSTEGIA</b> <i>virginiana</i> . . . . .	.15	.75
<i>repens</i> <i>monstrosa</i> . . . . .	.25		<i>speciosa</i> . Rosy pink . . . . .	.15	.75
<i>repens</i> <i>rosea</i> . . . . .	.25		<b>PHYSALIS</b> <i>Bunyardii</i> . . . . .	.15	1.00
<b>HELENIUM</b> <i>autumnale</i> <i>superbum</i> . . . . .	.25	1.00	<b>PLATYCODON</b> <i>grandiflorum</i> . White and Blue. Each. . . . .	.25	1.00
<i>autumnale</i> <i>rubrum</i> . Fine new variety . . . . .	.25	1.00	<i>grandiflorum</i> <i>nana</i> (Mariesii). Dark blue . . . . .	.35	2.00
Riverton Gem . . . . .	.25	1.00	<b>POLEMONIUM</b> <i>cæruleum</i> . Blue and White. Each . . . . .	.10	.50
<b>HELIOPSIS</b> <i>Pitcheriana</i> . . . . .	.15	.50	<i>Richardsonii</i> . . . . .	.10	.50
<i>scabra major</i> (Semi-double.) . . . . .	.25	1.00	<b>POTENTILLA</b> <i>formosa</i> . . . . .	.25	1.50
<b>HELIANTHEMUM</b> <i>mutabile</i> . . . . .	.15	.50	<b>PRIMULA</b> <i>officinalis</i> <i>hybrida</i> (Cowslip) . . . . .	.15	1.50
<b>HELIANTHUS</b> <i>Maximilianus</i> . . . . .	.25	1.50	<i>elatior</i> . . . . .	.35	
<i>mollis</i> <i>grandiflorus</i> . . . . .	.25		<i>japonica</i> . . . . .	.25	
Perennial Varieties, Mixed . . . . .	.15	1.00	<i>veris</i> . Mixed hybrids . . . . .	.40	2.00
Rev. Wolley Dod . . . . .	.25		<i>vulgaris</i> (English Primrose) . . . . .	.40	2.50
<b>HEMEROCALLIS</b> Hybrids . . . . .	.25	1.50	<b>PYRETHRUM</b> <i>roseum</i> <i>grandiflorum</i> . Mixed hybrids . . . . .	.20	2.50
<i>flava</i> . . . . .	.15	1.50	<i>aureum</i> . . . . .	.20	
<i>Thunbergii</i> . . . . .	.15	1.50	<i>uliginosum</i> . . . . .	.35	2.00
<b>HESPERIS</b> <i>matronalis</i> . . . . .	.15	.75	<b>ROSMARINUS</b> <i>officinalis</i> (Rosemary) . . . . .	.15	.50
<i>matronalis</i> , White . . . . .	.15	.75	<b>RUDBECKIA</b> <i>Newmanii</i> ( <i>speciosa</i> ) . . . . .	.20	1.00
<b>HEUCHERA</b> <i>sanguinea</i> . . . . .	.50		<i>fulgida</i> . . . . .	.25	1.50
<i>sanguinea</i> <i>alba</i> . . . . .	.50		<i>nitida</i> . . . . .	.15	.50
<b>HIBISCUS</b> <i>Moscheutos</i> (Marshmallow) . . . . .	.10	.25	<i>purpurea</i> . . . . .	.25	1.50
Crimson-Eye . . . . .	.10	.25	<b>SALVIA</b> <i>argentea</i> . . . . .	.25	
militaris . . . . .	.15	.50	<i>azurea</i> <i>grandiflora</i> . . . . .	.35	1.70
<b>HOLLYHOCKS</b> , Allegheny. Semi-double; mixed. . . . .	.20	1.00	<i>nemorosa</i> . . . . .	.40	
Double Hollyhocks. Choice strain, White, Light Yellow, Golden Yellow, Flesh, Chamois, Dark Rose, and Scarlet. Each . . . . .	.25	1.00	<i>nemorosa</i> <i>alba</i> . . . . .	.40	
Fine Double Mixed. All colors. (American-grown) . . . . .	.15	.75	<i>farinacea</i> . . . . .	.30	1.50
Newport Pink. Fine double pink . . . . .	.30	1.50	<i>officinalis</i> (Sage) . . . . .	.25	
Single. Yellow, Pink, Red, Blush, Dark Rose. Each. . . . .	.30	1.50	<b>SAPONARIA</b> <i>caucasica</i> fl. pl. . . . .	.15	.75
<b>IBERIS</b> <i>gibraltarica</i> Hybrids . . . . .	.25	1.25	<i>ocymoides</i> . . . . .	.15	.50
<i>sempervirens</i> . . . . .	.40	2.00	<b>SCABIOSA</b> <i>caucasica</i> . . . . .	.50	3.00
<b>INULA</b> <i>Helenium</i> (Elecampagne) . . . . .	.15	.50	<i>japonica</i> . . . . .	.20	1.00
<i>glandulosus</i> <i>grandiflora</i> . . . . .	.25		<i>lutea gigantea</i> . Yellow . . . . .	.40	
<i>macrocephala</i> . . . . .	.25		<b>SIDALCEA</b> <i>candida</i> . White . . . . .	.15	1.50
Golden Beauty . . . . .	.30		Rosy Gem . . . . .	.15	1.50
<b>IRIS</b> , Japanese (Kaempferi) . . . . .	.10	.50	<b>SILENE</b> <i>alpestris</i> . White . . . . .	.40	
<i>aurea</i> (Golden Flag) . . . . .	.15	1.00	Schafta. Rose . . . . .	.40	
<i>sibirica</i> <i>alba</i> and <i>cærulea</i> . . . . .	.15	.50	<b>STACHYS</b> <i>lanata</i> . . . . .	.20	1.25
<i>orientalis</i> , Snow Queen . . . . .	.50		<b>STATICE</b> <i>latifolia</i> (Sea Lavender) . . . . .	.25	1.25
<i>orientalis</i> <i>sanguinea</i> . . . . .	.15	1.00	<i>tatarica</i> . . . . .	.25	1.50
<b>LATHYRUS</b> <i>latifolius</i> . Red, White and Rose . . . . .	.20	.75	<b>STOKESIA</b> <i>Cyanea</i> . . . . .	.25	1.25
Pink Beauty . . . . .	.20	1.00	<i>Cyanea</i> , White . . . . .	.40	1.50
White Pearl . . . . .	.25	2.00	<b>SWEET WILLIAM</b> . See <i>Dianthus barbatus</i> . . . . .		
<b>LAVANDULA</b> <i>vera</i> (Lavender) . . . . .	.15	.75	<b>THALICTRUM</b> <i>adiantifolium</i> . . . . .	.25	.75
Spica . . . . .	.10	.50	<i>aquilegifolium</i> . . . . .	.25	
<b>LINARIA</b> <i>Cymbalaria</i> (Kenilworth Ivy) . . . . .	.35	2.00	<i>dipterocarpum</i> . . . . .	.50	
<b>LIATRIS</b> <i>spicata</i> , Mixed . . . . .	.15	1.00	<b>THERMOPSIS</b> <i>caroliniana</i> . . . . .	.15	
<i>pycnostachya</i> . . . . .	.15	1.00	<b>TRITOMA</b> , Express . . . . .	.25	2.50
<b>LINUM</b> <i>Perenne</i> . Blue and White. Each . . . . .	.10	.50	<i>Tuckii</i> . . . . .	.15	1.00
<b>LOBELIA</b> <i>cardinalis</i> . . . . .	.30	1.75	<i>uvaria</i> <i>hybrida</i> <i>grandiflora</i> . . . . .	.25	
<b>LUPINUS</b> <i>polyphyllus</i> . White . . . . .	.10	.25	<b>TUNICA</b> <i>saxifraga</i> . . . . .	.15	.75
<i>arboreus</i> . Yellow . . . . .	.30		<b>VALERIANA</b> <i>alba</i> . White . . . . .	.15	.75
<i>polyphyllus</i> <i>atrocæruleus</i> . . . . .	.10	.25	<i>coccinea</i> . . . . .	.15	.75
<i>polyphyllus</i> <i>roseus</i> <i>Moerheimii</i> . Rose . . . . .	.25	1.00	<b>VERBASCUM</b> <i>Phœniceum</i> Hybrids . . . . .	.15	1.00
<b>LYCHNIS</b> <i>chelidonii</i> . . . . .	.10	.30	<b>VERONICA</b> <i>amethystina</i> . . . . .	.25	2.00
chelidonii, White . . . . .	.40	.50	<i>longifolia</i> . . . . .	.25	
Haageana . . . . .	.40	2.00	<i>spicata</i> . . . . .	.25	1.50
Viscaria <i>splendens</i> . . . . .	.15	.75	<i>virginica</i> . . . . .	.25	
<b>LYTHRUM</b> <i>roseum</i> <i>superbum</i> . . . . .	.15	.50	<i>incana</i> . . . . .	.25	1.50
<b>MALVA</b> <i>Alcea</i> . . . . .	.25	1.50	<b>VIOLA</b> <i>cornuta</i> (Tufted Pansies) . . . . .		
<b>MYOSOTIS</b> <i>palustris</i> <i>semperflorens</i> , Count Waldsee . . . . .	.40		<i>cornuta</i> , Papilio. Violet-blue . . . . .	.40	2.50
<b>CENOTHERA</b> <i>missouriensis</i> . . . . .	.15	.50	<i>cornuta</i> , lutea <i>splendens</i> . Yellow . . . . .	.40	2.50
Speciosa . . . . .	.30	1.50	<i>cornuta</i> , Blue Perfection. Deep blue . . . . .	.40	2.50
<b>ONOPORDON</b> , Robert Bruce (Scotch Thistle) . . . . .	.20	.75	<i>cornuta</i> , White Perfection. Pure white . . . . .	.40	2.50
<b>OROBUS</b> <i>vernus</i> . . . . .	.25		odorata. Sweet Violet . . . . .	.50	
niger . . . . .	.25		<b>WALLFLOWER</b> . See <i>Cheiranthus</i> . . . . .		
			<b>YUCCA</b> <i>filamentosa</i> . . . . .	.10	.50

**THE PALISADES NURSERIES, Incorporated**  
 Sparkill, Rockland County, N. Y.

Phone: 200 Piermont